

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	13	xml and (empty with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:24
L4	7	3 and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:53
L5	13	xml and ((unused empty) with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:53
L6	7	dtd and ((unused empty) with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:41
L7	4	6 not 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:40
L8	71	((unused empty) with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:41
L9	57	8 and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:41
L10	2	(remove with (unused empty) with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:42
L11	2	((remove delete) with (unused empty) with (optional category) with element)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:42
L12	2	((remove delete) same ((unused empty) with (optional category) with element))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:43
L13	8	((remov\$3 delet\$3) same ((unused empty) with (optional category) with element))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:43
L14	22	xml and ((unused empty) with (category))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:53

Best Available Copy

L15	10	14 and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 10:11
L16	2086	((345/760,762,763) or (717/100, 106,107,109,110,113,114,143, 147)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/07/23 10:15
S1	1	("20020152244").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/07/19 13:01
S2	4	US-5727156-\$.DID. OR US-5860073-\$.DID. OR US-6023714-\$.DID. OR US-6055522-\$.DID.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/06/29 16:02
S3	4968	((345/728,744-747,760,762,764, 765) or (715/501.1,513-515,522, 530)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/29 17:05
S4	1	("6026413").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/07/19 13:57
S5	4943	xml and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:22
S6	339	S5 and DTD and ((graphical user) adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:41
S7	4959	xml and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:41
S8	384	S7 and ((document adj type adj definition) DTD) and ((graphical user) adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 13:58
S9	357	S8 and (edit\$3 create)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:42
S10	346	S8 and (edit create)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:44

Best Available Copy

S11	316	S8 and (edit create) and (control widget)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:44
S12	24	S8 and (xml (document adj type adj definition) DTD).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/20 10:46
S13	1	("20020085020").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/07/21 13:59
S14	1	S13 and (pars\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 10:27
S15	1	("20020085020").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/07/21 13:59
S16	4959	xml and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 16:56
S17	384	S16 and ((document adj type adj definition) DTD) and ((graphical user) adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 16:56
S18	137	S17 and editor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 16:57
S19	37	S17 and (editor with xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/21 16:57
S20	4966	xml and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 11:54
S21	65	S20 and xpath	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 11:54
S22	4966	xml and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 14:33

Best Available Copy

S23	384	S22 and ((document adj type adj definition) DTD) and ((graphical user) adj interface)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 13:58
S24	100	S23 and recurs\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 13:58
S25	9	(US-20020152244-\$ or US-20020085020-\$ or US-20020026461-\$).did. or (US-6055522-\$ or US-6023714-\$ or US-5860073-\$ or US-5727156-\$ or US-6725426-\$ or US-6342907-\$). did.	US-PGPUB; USPAT	OR	ON	2004/07/22 13:59
S26	0	S24 and S25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 13:59
S27	10	S24 and xpath	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 14:32
S28	0	xml same ((remove delete) with empty with elements)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 14:33
S29	12	xml and ((remove delete) with (optional empty) with elements)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/22 14:33
S30	6	S29 and (@ad<"20001222" @rlad<"20001222" @prad<"20001222")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/07/23 09:21

Best Available Copy